


ABOUT US

RIGA PARKET is a manufacturer of natural and ecological solid and multilayer hardwood flooring and interior elements that provides economical and also individual and exquisite solutions.





FINISHES

Flooring boards can either be supplied from the factory pre-coated with oxidative hardwax oil based on vegetable waxes or supplied untreated for finishing on site after installation.

For exquisite interiors we offer individual finishes with an unlimited selection of shades.



NATUR



MILKY GRAY



POLAR



GRAY 5



RAW LOOK




ANTIC



BALMORAL

Finishes available for all board collections:



BOARD COLLECTIONS

PREMIUM

Selected grade, without knots, sanded surface

NA.

Selected with small

RIGA PARKET manufactures solid and multilayer oak flooring in thickness 21mm, 16mm and 12mm.

By visual appearance boards are sorted in collections:
PREMIUM, NATUR, CLASSIC, WILD, RUSTIC.







ΓUR

d planks all knots racks

CLASSIC

Floorboards with natural wood texture and knots, cracks are filled with brown filler

WILD


Selected planks with color and texture variation, with brushed surface, cracks are filled with black filler

RUSTIC

Sapwood is allowed, unlimited size of knots and cracks, light brushed, brown filler











INDIVIDUAL TYPES OF PARQUET

RIGA PARKET in cooperation with interior designers and architects manufactures individual types of parquet.



STANDART

PATTERNS

RIGA PARKET has chosen five most

common types of parquet:


HERRINGBONE


CHEVRON

RHOMBS


HEXAGON

VERSAILLES







HERRINGBONE




CHEVRON



RHOMBS



HEXAGON



VERSAILLES



Solid


160 / 180 / 200

Skirting boards




	Thickness	Widths	Lengths	
A profile	16	60	2400	
B profile	16	70 / 100	2400	

2-layer



3-layer



Floor heater covers



Dimensions:

	Solid		2-layers		3-layers			
Moisture content:	8% ± 1%		8% ± 1%		8% ± 1%			
Thickness:	16mm	21mm	12mm	16mm	16mm	21mm		
Hardwood wear layer:	7.0 ± 0.2mm	10.0 ± 0.2mm	3.3 ± 0.2mm	4.0 ± 0.2mm	4.0 ± 0.2mm	5.0 ± 0.2mm		
Widths:	160 mm	160 / 180 / 200 mm	160 / 180mm	200 / 220 / 270 / 300 mm	200 / 220 / 270 / 300 mm	160 / 200 / 240 / 270 / 300 / 325 / 350 / 400 mm		
Lengths:	1200-3000mm (600-1200mm)		1200-3000mm (600-1200mm)	1400-3000mm (600-1400mm)	1400-3000mm (600-1400mm)			
Surface:	sanded, light brushed							
Finish:	on request with organic oil and wax							
T&G:	4 sides							
Bevels:	4 sides v-chamfer							

